Imaths

Rotating reference frame

the unit vectors ?^, ?^, k^ {\displaystyle {\hat {\boldsymbol {\imath }}},\ {\hat {\boldsymbol {\jmath }}},\ {\hat {\boldsymbol {k}}}} representing...

Glossary of engineering: M–Z

lowercase letter with a circumflex, or "hat": ?^ {\displaystyle {\hat {\imath }}} (pronounced "i-hat"). The term direction vector is used to describe...

Circumflex in French

a ?^ {\displaystyle {\hat {a\imath }}} , e ?^ {\displaystyle {\hat {e\imath }}} , o ?^ {\displaystyle {\hat {o\imath }}} , o y ^ {\displaystyle {\hat...

I

&#x131; &#65321; &#xFF29; &#65353; &#xFF49; Named character reference &imath;, &inodot; EBCDIC family 201 C9 137 89 ASCII1 73 49 105 69 ISO 8859-3 73...

Liouville function

{\displaystyle L_{\alpha }(x)={\frac {1}{2\pi \imath }}\int _{\sigma _{0}-\imath T}^{\sigma _{0}+\imath T}{\frac {\zeta (2\alpha +2s)}{\zeta (\alpha +s)}}\cdot...

Curl (mathematics)

{\displaystyle \nabla \times \mathbf {F} ={\begin{vmatrix}{\boldsymbol {\hat {\imath }}}&{\boldsymbol {\hat {\jmath }}}&{\boldsymbol {\hat {k}}}}\\[5mu]{\dfrac...

Basel problem

_{0}^{1}\vartheta e^{-2\pi \imath k\vartheta }\,d\vartheta ={\Biggl \{}{\begin{array}{ll}{\frac {1}{2}},&k=0\\-{\frac {1}{2\pi \imath k}}&k\neq 0,\end{array}}\end{aligned}}}...

Dotless I

B1 Numeric character reference &#73; &#x49; &#305; &#x131; Named character reference &imath;, &inodot; ISO 8859-9 73 49 253 FD ISO 8859-3 73 49 185 B9...

Î

means 'filled'. The letter ?^ {\displaystyle \mathbf {\hat {\boldsymbol {\imath }}} } is sometimes used to denote a unit vector in physics. Circumflex ^I...

List of XML and HTML character entity references

U+0130 HTML 5.0 ISOlat2 Latin capital letter I with dot above &inodot; &imath; ? U+0131 HTML 5.0 ISOlat2 ISOamso Latin small letter dotless i (i mathematical)...

Vortex sheet

s ? , t) {\displaystyle {\frac {\partial z^{*}}{\partial t}}=-{\frac {\imath }{2\pi }}\int \limits _{-\infty }^{\infty }{\frac {\gamma (s',t)\mathrm...

OpenEXR

image format (Imf) libIlmImf on linux IlmImf.dll on windows IlmImfUtil Imath OpenEXR has support for color depth using: 16-bit floating-point (half)...

Circumflex

with a magnitude of 1). For instance, ? ^ {\displaystyle {\hat {\mathbf {\imath } }}} , x ^ {\displaystyle {\hat {\mathbf {x} }}} , or e ^ 1 {\displaystyle...

Electrolytic capacitor

= u ^ ? ^ = U e f f I e f f . {\displaystyle Z={\frac {\hat {u}}{\hat {\imath }}}={\frac {U_{\mathrm {eff} }}{I_{\mathrm {eff} }}}.} In other words, impedance...

F-distribution

\left({\frac {d_{1}}{2}},1-{\frac {d_{2}}{2}},-{\frac {d_{2}}{d_{1}}}\imath s\right)} where U(a, b, z) is the confluent hypergeometric function of the...

Rossby wave

}{\partial x}}\\[5pt]\eta &=\nabla \times (u'\mathbf {\hat {\boldsymbol {\imath }}} +v'\mathbf {\hat {\boldsymbol {\jmath }}})=-\nabla ^{2}\psi \end{aligned}}}...

List of common physics notations

unitless electric current ampere (A) ? ^ {\displaystyle \mathbf {\hat {\imath }} } Cartesian x-axis basis unit vector unitless J {\displaystyle \mathbf...

Quadratic reciprocity

3 . {\displaystyle \omega ={\frac {-1+{\sqrt {-3}}}{2}}=e^{\frac {2\pi \imath }{3}}.} The ring of Eisenstein integers is Z [?] . {\displaystyle \mathbb...

Partial fraction decomposition

coefficients computing some derivatives at x = 1 , ? {\displaystyle x=1,\imath } in the above polynomial identity. (To this end, recall that the derivative...

Capacitor types

= u ^ ? ^ = U e f f I e f f . {\displaystyle Z={\frac {\hat {u}}{\hat {\imath }}}={\frac {U_{\mathrm {eff} }}{I_{\mathrm {eff} }}}.} to calculate either...